



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

RBE105-31702W4-3
Job Sheet 185662



Part No: RBE105-31702W4-3

Job Qty: 5 ea

Part Name: Support Body



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 10/31/18

Job Tracking No:

Due Date: 12/14/18

Created By: Marie Lajeunesse

Type: SOLD

Description:

Note: DWG RBE105-31702W4 Rev.A. IPP Rev. A 18.10.30 New issue DP Verify DD

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Start up Operation	5 Ea		12/14/18	0.00	0.00	Start Up Machining-3		
120	CNC Lathe	5 pcs		12/14/18	0.00	5.00	MORI NLX		
130	QC	5 pcs		12/14/18	0.00	0.00	QC2 Machining-4		
140	QC	5 pcs		12/14/18	0.00	0.00	QC8 Machining-4		
170	Outsource	5 pcs		12/14/18			GRO002-VC	10	
180	Packaging	5 pcs		12/14/18	0.00	0.00	Packaging2		
190	QC	5 pcs		12/14/18	0.00	0.00	QC6		
200	Packaging	5 pcs		12/14/18	0.00	0.00	Packaging3-1		
210	QC21-SA	5 Ea		12/14/18	0.00	0.00	QC21		

Part Op 120 - 1-Machine as per DWG. FC 480 FOLIO REV: AA DWG REV: A 2-Debur
Descriptions: 140 - Engrave T/N "RBE105-31702W4" using MARKTRONIC engraver as per DWG note 7.
170 - -Issue P/O to GROUPE ALTECH; PO 042131 -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
MT-4140QT-R1.375	AISI 4140 Quenched & Tempered Steel Round Bar 1.375" Dia.	.5000 ft (.1 ea)	90-Start up Operation	

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Start up Operation	MT-4140QT-R1.375	1	32	0

Part Specifications

uld not be found.

Plex 10/31/18 9:44 AM Dart.lajeunesse.marie



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S139625



Part: RBE105-31702W4-3

Job No: 185662

Serial No/Batch: S139625

Revision: A

Inspector:

Exp Date:

Instructions:

Date: 12/20/18

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width: 100%; border: none;"> <tr> <td style="width: 15%;">Skid-tube ☐</td> <td style="width: 15%;">Cross tube ☐</td> <td style="width: 15%;">Water Jet ☐</td> <td style="width: 15%;">Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐	
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																		
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																		
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																		
Large Fab ☐	Composite ☐	Supplier ☐																			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval																	
Description Work Order Deviation		Disposition		Completed By																	
				Lead hand / Supervisor Approval Verification																	
				QC / QA Coordinator Approval																	
Root Cause		FAULT CATEGORY																			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐																
OTHER : _____																					


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 185662 187051



RBE105-31702W4-3 SUPPORT BODY



SECTION C-C



- NOTES:
- 1) MATERIAL: 4140/4142 (28-32 RC)
 - 2) HEAT TREAT: N/A
 - 3) FINISH: BLACK OXIDE PER MIL-C-13924 CLASS 1 THEN APPLY A THIN LAYER OF OIL / CPC PER MIL-PRF-16173 GRADE 3 CLASS 1 OR MIL-C-81309 TYPE III OR MIL-C-23411A OR MIL-PRF-81309 AND WIPE OFF EXCESS
 - 4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/- 0.01" / +/- 0.5°
X.XXX = +/- 0.005" / +/- 0.1°
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/- 0.005"
 - 5) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 6) BREAK SHARP EDGES: 0.005" TO 0.010"
 - 7) IDENTIFICATION: MACHINE ENGRAVE OR DOT MARK T/N (RBE105-31702W4) AS SHOWN.

DESIGN	KK	DART AEROSPACE LTD	
DRAWN	KK	HAWKESBURY, ONTARIO, CANADA	
CHECKED	KK	TOOL PART #	REV. A
MFG. APPR.	FK	RBE105-31702W4	SHEET 4 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DATE 10/29/2018		PRESSING-IN & PUSHING-OUT TOOL	NTS
COPYRIGHT © 2018 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER PO042131

Supplier: GRO002-VC
Group Altech
2455 Halpern
St Laurent
QC
H4S 1N9 Canada
Phone: 514-335-3666
Fax: 514-335-3868

PO No: PO042131
PO Date: 12/27/18
Due Date: 1/4/19
**Purchase Order
Revision:**
Revision Date:
Ship-To Contact: Tsimiklis, ChrisoulaPhone:

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground
Pynt Terms: Net 60
Freight Terms:
Special Comments:

Items

Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	187924	RBE117-12020W18	Pusher -Issue P/O to GROUPE ALTECH; PO _____ -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 1144 Stress Proof -Certificate of Conformity is required	Firmed	-	1/4/19	6 pcs	0 pcs	6 pcs	\$3.486/pcs	\$20.92
2	182868	RB6893506	Seal Install Tachometer Pusher -Issue P/O to Groupe Altech; PO _____ -Black oxide finish, MIL-C-13924C Class 1 -Certificate of Conformity is required	Firmed	-	1/4/19	9 pcs	0 pcs	9 pcs	\$3.486/pcs	\$31.37



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO042131**

Items											
Line Item	Job	Part	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
3	185661	RBE105-31702W4-2	Drawing In Disc -Issue P/O to GROUPE ALTECH; PO _____ -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required	Firmed	-	1/4/19	5 pcs	0 pcs	5 pcs	\$3.486/pcs	\$17.43
4	185662	RBE105-31702W4-3	Support Body -Issue P/O to GROUPE ALTECH; PO _____ -Black oxide finish, MIL-C-13924C Class 1 -Apply thin layer of oil/CPC per MIL-PRF-16173 Grade 3 Class 1 or MIL-c-81309 Type III Or MILL-C23411A or MIL-PRF-81309 and wipe off excess. -Material type; 4140 -Certificate of Conformity is required	Firmed	-	1/4/19	5 pcs	0 pcs	5 pcs	\$3.486/pcs	\$17.43
5	182869	RB6893508	Seal Install Fuel Pusher -Issue P/O to Groupe Altech; PO _____ -Black oxide finish, MIL-C-13924C Class 1 -Certificate of Conformity is required	Firmed	-	1/4/19	9 pcs	0 pcs	9 pcs	\$3.65/pcs	\$32.85
Grand Total:											\$120.00
Order Notes											
Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.											

Plex 1/4/19 8:05 AM dart.tsimiklis.chrisoula



Certificat de Conformité / Certificate of Compliance

(015612-1)

2455, Rue Halpern | Saint-Laurent | Québec | H4S 1N9

Tel: 514-335-3666

Fax: 514-335-3868

www.groupaltech.com

Bon de Livraison / Packing Slip

015612- 1

Livré à / Ship to

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A1K7

CANADA

Tel.: 613-632-5200 Fax.:

Client / Customer:

DART AEROSPACE LTD

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A1K7

CANADA

BUYER:

Date expédition Ship date		Créé Par Generated By	Transport / No de Compte Courier / Acc. No.	Bon de commande Client Customer Purchase Order No.				
08-Jan-2019		Jessie Boisvert		042131				
#Ligne Line#	No. de Série / # Pièce Part Number / Line Item Details Job # / Ref #	Description pièce(s)	CATG. U/M	Comm. /Ordered	Exp/ Shipped	Quantités / Quantities Qté NC/ NC Qty	Qté Scrap/	À venir/ Back Order
1	RBE117-12020W18 Rev.	RBE117-12020W18 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3 WIPE OFF EXCESS	OXIDE-BLACK CH	6	6	0	0	0
2	RBE6893506 Rev.	RBE6893506 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3 WIPE OFF EXCESS	BLACK-OXIDE CH	9	9	0	0	0
3	RBE105-31702W4-2 Rev.	RBE105-31702W4-2 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3 WIPE OFF EXCESS	BLACK-OXIDE CH	5	5	0	0	0
4	RBE105-31702W4-3 Rev.	RBE105-31702W4-3 01 -OXIDE-BLK & OIL [OXIDE BLACK AND OIL] MIL-C-13924C CLASS 1 APPLY A THIN LAYER OF OIL MIL-C-81309 TYPE 3 WIPE OFF EXCESS	BLACK-OXIDE CH	5	5	0	0	0
5	RB6893508 Rev.	RB6893508 01 -OXIDE-BLK MIL-C-13924C CLASS 1	BLACK-OXIDE CH	9	9	0	0	0

 DAS
38
9-89

Notes Additionnelles / Additional Notes

Epaisseur réelle
Actual Thickness
Inspecteur Qualité
Quality Inspector
Réçu par
Received By

Nous certifions que les pièces énumérées ci-dessus ont été traitées en conformité avec votre commande et vos spécifications et rencontrent les exigences.
 Notre responsabilité financière et légale ne sera pas supérieure au montant de la facture issue.

We hereby certify that the parts listed above have been process in accordance with your purchase order and specifications and are in conformance with your requirements.
 Our financial and legal responsibility will not be higher than the amount of invoice.